ELSEVIER

*Polymer Gels and Networks* **4** (1996) 529–531
© 1996 Elsevier Science Limited
Printed in Northern Ireland. All rights reserved

# CONTENTS OF VOLUME 4

*Number 1*

Poisson's ratio of polyacrylamide (PAAm) gels . . . . . 1
T. TAKIGAWA, Y. MORINO, K. URAYAMA & T. MASUDA (Japan)

Viscoelastic properties of hydrogel microcapsule membranes . . . . . 7
Y. NAGASE, R. KITA, T. DOBASHI & T. KONDO (Japan)

Pressure dependence on the Flory–Huggins interaction parameter of poly(N-isopropylacrylamide) gels . . . . . 17
C. NAKAMOTO, T. KIDADA & E. KATO (Japan)

Pore structure of gel chitosan membranes. I. Solute diffusion measurements . . . 33
B. KRAJEWSKA & A. OLECH (Poland)

Pore structure of gel chitosan membranes. II. Modelling of the pore size distribution from solute diffusion measurements. Gaussian distribution—mathematical limitations . . . . . 45
B. KRAJEWSKA & A. OLECH (Poland)

Pore structure of gel chitosan membranes. III. Pressure-driven mass transport measurements . . . . . 55
B. KRAJEWSKA (Poland)

Effect of galactomannans on the viscoelastic behaviour of pectin/calcium networks . . . . . 65
J. A. LOPES DA SILVA, M. P. GONÇALVES (Portugal), J. L. DOUBLIER & M. A. V. AXELOS (France)

Calendar . . . . . 85

*Number 2*

Infrared study of gelatin conformations in the gel and sol states . . . . . 87
D. A. PRYSTUPA & A. M. DONALD (UK)

Hydrogel formation via hybridization of oligonucleotides derivatized in water-soluble vinyl polymers . . . . . 111
S. NAGAHARA & T. MATSUDA (Japan)

Change in phase transition behavior of an NIPA gel induced by solvent composition: hydrophobic effect . . . . . 129
Y. SUZUKI, K. TOMONAGA, M. KUMAZAKI & I. NISHIO (Japan)

Associating phenomena in highly acetylated chitosan gels
K. I. DRAGET (Norway) . . . . . 143

**Review Article**
Entrap-immobilization of enzyme on composite gel fibre using a gel formation of cellulose acetate and metal (Ti, Zr) alkoxide . . . . . 153
Y. KUROKAWA (Japan)

Calendar . . . . . 165

*Number 3*

Are natural protein networks similar to synthetic elastomeric networks? Structural implications of the characteristic pentapeptide repeat from the elastic protein network of wool . . . . . 167
M. I. LIFF (USA)

Large deformation rheology of gelatin gels . . . . . 189
A. BOT, I. A. VAN AMERONGEN, R. D. GROOT, N. L. HOEKSTRA & W. G. M. AGTEROF (The Netherlands)

Adhesive effect of linear low-density polyethylene gels on polyethylene moldings 229
K. TAKAGI, H. FUJIMATSU, H. USAMI & S. OGASAWARA (Japan)

Direct method for measuring shear modulus in gels . . . . . 241
M. J. ORKISZ & R. A. SIEGEL (USA)

The copolymerisation of tetrahydrofurfuryl methacrylate and methyl methacrylate . . . . . 253
P. Y. GHI, D. J. T. HILL, J. H. O'DONNELL, P. J. POMERY & A. K. WHITTAKER (Australia)

Partitioning of hexavalent chromium in temperature-sensitive, polyelectrolyte hydrogels . . . . . 269
A. P. SASSI, D. FREED, H. W. BLANCH, J. M. PRAUSNITZ (USA)

Calendar . . . . . 301

*Number 4*

Molecular origin for the thermal stability of schizophyllan . . . . . 303
M. TAKO (Japan)

Effect of solvent on aggregation structure and responsive properties of copolymeric gel with side chain crystals . . . . . 315
XIAOWEI HE, A. TAKAHARA & T. KAJIYAMA (Japan)

Ionizable hydrogels of new type based on poly(ethylene glycol) phosphates . . . 335
K. KAZANSKII, V. KUZNETSOVA (Russia), J. PRETULA & S. PENCZEK (Poland)

Liquid flow through polymer gels . . . . . 351
V. KLEPKO, YU. MEL'NICHENKO & V. SHILOV (Ukraine)

New amphiphilic immunogens by poly (N-isopropylacrylamide)-modified bovine serum albumin . . . . . 363
M. MUSTAFAEV (Turkey), Y. OSADA, M. MATSUKATA (Japan), A. BASALP, B. ÇIRAKOĞLU & E. BERMEK (Turkey)

Calendar . . . . . 373

*Numbers 5–6*

**Special issue: Selected papers presented at the Europhysics Conference on Gels, 25–29 September 1995, Balatonszéplak, Hungary**

Models for irreversible gel formation . . . . . 375
M. KOLB (France)

Diffusion control in the kinetics of cross-linking . . . . . 383
K. DUŠEK (Czech Republic)

Improved gel-point predictions using Ahmad–Rolfes–Stepto theory . . . . . 405
R. F. T. STEPTO & D. J. R. TAYLOR (UK)

Calculation of network parameters in thermoreversible gels . . . . . 415
K. TE NIJENHUIS (The Netherlands)

About "defects" in networks made by end-linking . . . . . 435
C. ROUF-GEORGE, J. P. MUNCH, G. BEINERT, F. ISEL, A. POUCHELON, J. F. PALIERNE, F. BOUÉ & J. BASTIDE (France)

Effect of cross-links on the structure of polymer gels . . . . . 451
F. HORKAY (Hungary), A.-M. HECHT (France), M. ZRÍNYI (Hungary) & E. GEISSLER (France)

Compressional and shear behaviour of weakly ionic polyacrylamide gels . . . . 467
S. A. DUBROVSKII (Russia)

Swelling equilibrium properties of partially charged gels: the effect of salt on the shear modulus . . . . . 481
G. NISATO, F. SCHOSSELER & S. J. CANDAU (France)

Bi-phasic elastodynamics of electron conducting polymers . . . . . 499
P. CHIARELLI & D. DE ROSSI (Italy)

Gels from modified hydroxyethyl cellulose and ionic surfactants . . . . . 509
H. HOFFMANN, U. KÄSTNER, R. DÖNGES & R. EHRLER (Germany)

Calendar . . . . . 527

Contents of Volume 4 . . . . . 529